

Material Safety Data Sheet



Martrex, Inc.

Section 1: Chemical Product and Company Information

Product name: Asphaltene Pitch

Supplier/ Further Information: Martrex, Inc.

P. O. Box 1709
14525 Highway 7
Minnetonka, Minnesota 55345-3793

Web: www.martrexinc.com

Phone: 952/933-5000

Toll Free: 800/328-3627

FAX: 952/933-1889

EPA Registration Number: n/a

CAS#: 64742-16-1

Chemical Name: Petroleum Asphalt

Synonyms: Petroleum Pitch, Asphaltene Pitch, Asphalt

Chemical Family: Petroleum Hydrocarbon

MSDS Number: n/a

24 Hour Emergency Phone - Chemtrec Transport: 1-800-424-9300; Medical: 1-800-441-3637

Section 2: Composition/Information on Ingredients

Hazardous Component	CAS#	%	OSHA PEL	OSHA STEL	OSHA CEIL
Petroleum Asphalt	64742-16-1	100%	5 mg/m ³	n/a	n/a
	OTHER LIMITS	RTECS#	ACGIH TLV	ACGIH STEL	ACGIH CEIL
	n/a	n/a	5 mg/m ³	n/a	n/a
Non-Hazardous Component	CAS#	%			
none					

Section 3: Hazards Identification

Emergency Overview: CAN CAUSE RESPIRATORY, EYE, OR SKIN IRRITATION. CAN CAUSE THERMAL BURN. Avoid breathing dust or fumes. Use ventilation adequate to keep dust or fumes below recommended exposure limits. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling..

NFPA: Reactivity: 0 Flammability: 1 Health: 0

HEALTH:

Primary Routes of Exposure / Entry: Skin, Inhalation

Acute Exposure Symptoms

Inhalation: Dust / fumes may cause headache, nasal and respiratory irritation, nausea, and drowsiness.

Eye Contact: Irritation. Hot material can cause thermal burn.

Skin Contact: Irritation. Hot material can cause thermal burn.

Ingestion: Irritation. Hot material may cause thermal burn


Chronic Exposure Symptoms

Inhalation: Dust / fumes may cause respiratory irritation.

Eye Contact: Redness, thermal burn

Skin Contact: Drying, cracking, redness, itching, burning, or inflammation of skin (Dermatitis).

Aggravated Medical Conditions: Pre-existing dermatitis and respiratory condition.



**24 Hour Emergency Phone - Chemtrec: 1-800-424-9300 Transportation
1-800-441-3637 Medical**

Section 4: First Aid Measures

Inhalation: Remove exposed person to fresh air. If breathing has stopped, perform artificial respiration. Get medical attention promptly.

Eye Exposure: Immediately flush eyes for a minimum of 15 minutes, occasionally lifting the lower and upper lids. Get medical attention promptly.

Skin Exposure: Immediately remove soiled clothing and wash skin with soap and water. Launder clothing before wearing again. Get medical attention promptly if irritation or burn occurs.

Ingestion: Drying, cracking, redness, itching, burning, or inflammation of skin (Dermatitis). Pre-existing dermatitis and respiratory condition.

Note to Physician: n/a

Section 5: Fire Fighting Measures

Flash Point: >550°F /

COC Auto-ignition: 905°F

Lower explosion limit: n/a

Upper explosion limit: n/a

Extinguishing Media: Use dry chemical or carbon dioxide as extinguishing media. Water or foam may cause frothing. Use water to keep fire exposed containers cool.

Personal Protective Equipment: Self-contained breathing apparatus and other protective equipment is necessary, if entering enclosed or confined space.

Unusual Fire and Explosive Hazards: When strong oxidizers are present (NFPA Class III B Combustible).

Special Procedures: Do not enter enclosed or confined space without a self-contained breathing apparatus and other protective equipment.

Hazardous Decomposition Materials (under fire conditions): Products of combustion may contain carbon dioxide, carbon monoxide, and various hydrocarbon compounds.

Section 6: Accidental Release Measures

Evacuation procedures and Safety: .

Containment of Spill: SMALL SPILLS: Place into containers for later disposal. LARGE SPILLS: If liquid, contain spill immediately in smallest possible area (ex. earthen dikes). Control ignition sources around spill area. Nonrecoverable product, contaminated soil, debris and other materials should be placed in proper containers for ultimate disposal. Avoid washing, draining or directing materials to sanitary sewers

Cleanup and Disposal of Spill: Recycle as much of the recoverable product as possible. It is the responsibility of the user to determine if the material is a hazardous waste at the time of disposal. Treatment, storage, transportation and disposal must be in accordance with applicable federal, state, and local regulations..

Environmental and Regulatory Reporting: Cleanup, Dispose and report in accordance with all applicable local, state, and federal environmental regulations.

Section 7: Handling and Storage

Minimum/maximum Storage Temperature: n/a

Handling: Keep container tightly closed and away from ignition sources and strong oxidizers (NFPA Class III B Combustible).

Storage: Do not store with strong oxidizers. Store in accordance with all applicable local, state and federal environmental regulations.

Section 8: Exposure Controls / Personal Protection

Ventilation Protection: Use sufficient ventilation to maintain air concentrations below regulatory limits. Select appropriate NIOSH approved respiratory protection where necessary (determined by potential exposure and published respiratory protection factors). For unknown concentration or fire fighting use self-contained breathing apparatus with positive pressure.

Respiratory Protection (specify type):

Eye Protection: Safety glasses, chemical goggles or face shield as appropriate.

Skin Protection: Gloves, long-sleeved shirt, and cuffless trousers to protect from heated asphalt

Other Protective Clothing and Equipment:

Wear clean body-covering clothing

Hygienic Work Practices: Avoid contact with eyes, skin, and clothing. Avoid breathing dust. Keep container closed when not in use. Use with adequate ventilation. Keep product out of light. Keep away from incompatibles. Wash thoroughly after handling

Section 9: Physical and Chemical Properties

Chemical Name: Petroleum Asphalt

Color and Appearance: Black Beads

Odor: Slight asphalt smell

pH: n/a

Specific Gravity: (60/60F; H₂O=1): 1-1.25

Vapor Density: (Air=1): n/a

Vapor Pressure, Reid (100F): Nil

Volatiles by Volume: <1%

Boiling Point: >1200°F

Softening Point, C(F): 200-400°F

Melting Point: n/a

Evaporation Rate: (Butylacetate=1): n/a

Solubility in water (% by weight): Negligible

Chemical Formula: n/a

Formula Wt: n/a

Section 10: Stability and Reactivity

Chemical Stability: Stable X Unstable _____

Hazardous Polymerization: May Occur _____

Will Not Occur X

Conditions to Avoid: Keep container tightly closed and away from ignition sources and strong oxidizers (NFPA Class III B Combustible). Do not store with strong oxidizers. Store in accordance with all applicable local, state and federal environmental regulations.

Chemical Incompatibility: Avoid and strong oxidizers.

Hazardous Decomposition Products: Products of combustion may contain carbon dioxide, carbon monoxide, and various hydrocarbon compounds.

Section 11: Toxicological Information**Acute Data**

Eye Irritation: n/a
Skin Irritation: n/a
Oral LD₅₀: n/a
Dermal LD₅₀: n/a
Inhalation LC₅₀: n/a
Skin Sensitization: n/a

Chronic Data

Chronic Toxicity Studies: n/a
Mutagenicity Data: n/a
Reproductive and Teratological Data: n/a
Carcinogenicity Data:
NTP: No OSHA: No IARC Monograph: No Not Listed:

Section 12: Ecological Information

Eco-acute Toxicity: n/a
Environmental Fate: n/a

Section 13: Disposal Considerations

Disposal Procedures: Dispose in accordance with all applicable local, state, and federal environmental regulations.

Section 14: Transport Information

Domestic (D.O.T.): Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)
International (T.M.O.): Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)
AIR (I.C.A.O.): Proper Shipping Name: Chemicals, n.o.s. (Non-regulated)
UN number:
Special Information:
Packing Group:

Section 15: Regulatory Information

Workplace Classifications
Acute: Yes
Chronic: Yes
Flammability: No
Pressure: No
Reactivity: No
Extremely Hazardous Substance: No
SARA Title 3 (313 Toxic Chemicals):
S₃Sb₂: No
Na₂SO₄: Yes, contains Sodium Sulfate
Generic class removed from CFR 7-9-91.
TSCA Inventory Status: Yes
RCA Classification: n/a
CERCLA Reportable Quantity (Hazardous Substance): No

**24 Hour Emergency Phone - Chemtrec: 1-800-424-9300 Transportation
1-800-441-3637 Medical**

Section 16: Other Information**MSDS Issue Date:** 02-20-09**Revised Date:** n/a**Supersedes:** n/a

Disclaimer: The information published in this Material Safety Data Sheet has been compiled from our experience and data presented in various technical publications. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and assume no liability resulting from its use. We reserve the right to revise Material Safety Data Sheets periodically as new information becomes available.